Decorative products by Koskisen plywood

KoskiStandard

- Uncoated birch plywood
- Thickness: 4–21mm
- Panel sizes: 1220 x 2440mm & 1500 x 3000
- Face qualities: Jointless BB+

KoskiDecor Phenol

- Decorative birch plywood
- Thickness: 12–21mm
- Panel sizes: up to 1500 x 3000mm
- Coating: 120g - 440g/m^2 phenolic film



KoskiDecor Transparent

- Decorative birch plywood coated with transparent melamine
- Glueline colour light or dark
- Thickness : 12–21mm
- Panels sizes: up to 1500 x 3000mm
- Selected decorative one piece veneer

KOSKISEN

Koskisen
Tehdastie 2 I 16600, Järvelä
p. 020 553 41 I info@koskisen.com

Decorative products by Koskisen plywood

KoskiDecor Melamine

- Decorative birch plywood both sides are coated with uniform, white melamine film
- Also available with Zero P2 core (1250 x 2500)
- Thickness: 12–21mm
- Panel sizes: up to 1500 x 3000mm
- Coating: hard wearing, durable white melamine film

KoskiDecor Eco Transparent

- Decorative birch plywood coloured both sides with translucent ECOCOLOUR technic
- Also available with Zero P2 core (1250 x 2500)
- Thickness: 12–21mm
- Panel sizes up to: 1500 x 3000mm
- Surface quality: selected veneers
- Coating: transparent melamine film



KoskiDecor BirchUp

- Veneered plywood
- Thickness: 4–40mm
- Panel size: long grain 2440 x 1220mm
- Coating: coloured technical veneer

KOSKISEN

Koskisen
Tehdastie 2 I 16600, Järvelä
p. 020 553 41 I info@koskisen.com

2412-CPR-1301-01
PEFC/02-34-12
FSC® C116522

Decorative products by Koskisen plywood

KoskiDecor Elite Tr

- Decorative birch plywood with selected high quality 0,6mm long grain veneers
- Nominal thickness: 12–18 mm
- Panel size: 2440x1220 and 2400x1200mm
- Coating: transparent melamine film
- (Also available without transparent melamine film)

KoskiDecor F

- Fire-retardant decorative panel
- Fire class B-s1, d0
- Selected decorative birch face veneer
- White translucent surface treatment
- Panel size 9-21 x 1220 x 2440mm



KoskiDecor Top

- Decorative birch plywood with 0.7 mm Special HPL (High Pressure Laminate)
- Thickness: 9–30 mm
- Panel size: 1500 x 3000 mm
- Coating: black and snow white satin

For more detailed information please check the available product leaflets on our web page www.koskisen.com.

KOSKISEN

Koskisen
Tehdastie 2 I 16600, Järvelä
p. 020 553 41 I info@koskisen.com