ATTESTATION

Contact person
Ulrika Johansson
Division Materials and Production
+46 10 516 53 22
ulrika.johansson@ri.se

Date
2024-12-17
Date issue 2
2025-12-10

Reference
1297026-3 issue 2

ACCREDITED
CERT #4975.01

Koskisen Oy
Otavantie 395
52550 Hirvensalmi
Finland

ULEF Approval Attestation

Issued to

Koskisen Oy, Finland

Manufacturing plant

Koskisen Oy, Otavantie 395, 52550 Hirvensalmi, Finland

Product

Product: KoskiPly Interior, 0.4 – 25 mm Hardwood Plywood

Statement

The product described above fulfils the Ultra Low Emission Formaldehyde (ULEF) requirements for formaldehyde emission set out in EPA 40 CFR TSCA Title VI, §770.18 and the California Code of Regulations, ACTM; title 17 section 93120.3 (d).

This entitles the product for a two-year exemption from the certification and testing requirements of both EPA 40 CFR TSCA Title VI, §770.15, §770.20, §770.40(b) and California Code of Regulations, ACTM; title 17, §93120.3(b), §93120.12 Appendix 2.

The approval of ULEF exemption is valid for two years after issue. After that period the manufacturer must reapply for exemption to a CARB-approved/U.S. EPA recognized TSCA Title VI TPC.

RISE Research Institutes of Sweden AB
Chemistry and Applied Mechanics - Chemical Product Safety

Performed by	Examined by
Ulrika Johansson	Fredrik Solhage

This document may not be reproduced other than in full, except with the prior written approval of RISE Research Institutes of Sweden AB.

Verification

Document ID 09222115557564627962

Document

ULEF Attestation KoskiPly Interior, issue 2
Main document
1 page
Initiated on 2025-12-10 16:40:12 CET (+0100) by Ulrika Johansson (UJ)
Finalised on 2025-12-11 08:09:02 CET (+0100)

Signatories

Ulrika Johansson (UJ)
RISE Research Institutes of Sweden AB
Company reg. no. 556464-6874
ulrika.johansson@ri.se
Signed 2025-12-10 16:40:13 CET (+0100)

Fredrik Solhage (FS)
fredrik.solhage@ri.se
Signed 2025-12-11 08:09:02 CET (+0100)

This verification was issued by Scrive. For more information/evidence about this document see the concealed attachments. Use a PDF-reader such as Adobe Reader that can show concealed attachments to view the attachments. Please observe that if the document is printed, the integrity of such printed copy cannot be verified as per the below and that a basic print-out lacks the contents of the concealed attachments. The digital signature (electronic seal) ensures that the integrity of this document, including the concealed attachments, can be proven mathematically and independently of Scrive. For your convenience Scrive also provides a service that enables you to automatically verify the document's integrity at: https://scrive.com/verify